Builder Decision Analysi

terior Residential

©2018 Ciprus Limited LLC -All Rights Reserved





Ciprus Limited LLC • 121 SAYBROOK ROAD • SUITE 301• ESSEX, CT 06426-0932 860.767.7685 OFFICE • 860.575.9040 MOBILE www.ciprus.com

Introduction

Ciprus Limited LLC completed our most recent Exterior Residential Trim Research in 2017. Since then, the housing market has continues to grow creating greater demand for exterior trim products. At the same time the potential options for builders and remodelers for trim options has continued to expand to include more PVC producers, branded primed wood options, engineered wood, poly-ash and polyurethane to name some of the options.

Decision Analysis - Type of Trim Faced with the ever greater number of options in primed wood and non-wood trim, builders must make the choice between the full range of different types of trim such as, engineered wood, fiber cement, PVC, poly-ash and primed wood trim in addition to traditional wood trim. This proposed research will analyze that decision process in-depth to provide insights into how that choice is arrived at, what sources of information are used by builders, the length they have continued to use specific types of trim and many other point of information.



What the Study will Cover

Brand Choice-Decision Analysis After making the decision on a particular type of trim, builders must also make a decision on specific brands of trim. This proposed research will also probe brand decision process in-depth as well.

This study will document several aspects surrounding trim decisions by type and brand summarized in the table below:

As a Charter Subscriber you will have the added benefit of actually designing some of your own research objectives into the study to meet your specific needs.

Research Issues and Study Direction
Determine who is the ultimate decision maker and who are the influencers in making the choice for residential trim products.
Where do builders look for information in making their choices of residential trim.
What factors are important to builders in making the decision to use a particular type of trim.
What is the builders usage history with particular types of trim and brands of trim.
On what types of projects and with what cladding types are brands of trim being used.
Have trim types and brands been used continuously or has their usage been interrupted?
Are multiple types or brands of trim used and if so which ones?
How many lineal feet of trim are used by type of trim, brands of trim and by type of construction?
What role does geography play in the types of trim used or brands of trim used?
What are the perceived strengths of each type and brand of trim used?

Study Objectives To take advantage of opportunities in the industry, accurate planning information is needed. Data will be obtained from builders in 4 size categories, small, medium and large and very large. Most importantly, data will be obtained using sufficient sample sizes and in such a manner that the data is projectable to the industry as a whole. We utilize the widely accepted small sample size theory of 30 interviews per cell.

This study will focus upon capturing market back information from a combination of personal and telephone interviews. Below are the detailed objectives of the research:

Trim Type & Brand Decision

How does a builder chose among the 6 key types of trim that are available?

- A. Branded Primed Wood
- B. Engineered Wood
- C. Fiber Cement
- D. Poly-Ash
- E. PVC
- F. Polyurethane
- G. Un-Primed SPF or Cedar

1. **Decision Maker** Who is the decision maker and who are the influencers in the choice to determine the type of trim being used. To what degree do each contribute to the ultimate decision over what type of trim to use?

- Builder/remodeler
- Sub-contractor
- Developer
- Architect
- Owner
- Neighborhood/condo associations
- Local zoning regulations
- Others found important

2. **Information Sources** Where do builders look for information regarding types of trim?

- Fellow builders
- Suppliers contractor supply houses
- Trim manufacturer' sales personnel
- Customers
- Advertising (Internet, print, direct mail, other)
- Manufacturer product seminars
- Sub-contractors
- Sweets McGraw-Hill

3. **Factors Important to Decision Process** What factors were important in aiding the builder to reach a decision to utilize a particular type of trim? What factors had the greatest influence for each type of trim?

- Source of supply (does the builder's normal source of supply offer the product)
- Price
- Warranty
- Ease of installation
- Call-back experience/history
- Appearance of finished project
- Configurations offered (size, shapes, etc)
- How well the trim works with the cladding types they install
- National programs, rebates etc.
- 4. **Usage History** What is the builder's experience with the product and brand?
 - How long has each type/brand of trim been utilized?
 - Describe the projects on which trim is used
 - -- Geography
 - -- By cost range (starter, move-up, luxury)
 - -- New construction vs remodeling
 - What the type used continuously or was usage interrupted
 - -- Why was usage interrupted/reinstituted?

- Are multiple trim types used?
 - -- What types of projects are each used for?
 - -- What is the reasoning between using multiple types of trim?

6. Usage Quantification Although the key reason for completing this research concerns the type and brand decision process, we will quantify the usage of trim by type, manufacturer/brand, geographic location, housing type (starter, move-up, luxury) or other factor. We will also capture their projections of future usage by type and manufacturer/brand on a surface square footage basis or other measurement.

7. **Geography/Location** - What role does geography or location play in the decision to use each type of trim.

What are the geographic differences?

- Humid climates
- Harsh environments (ie coastal area)
- High heat/high sunshine (UV issues)
- Others found important

Countries and Regions
United States
Northeast
South
Mid-Central
West

8. **Strengths and Weaknesses** What are the strengths and weaknesses of each type of trim that the builder uses or has used on important factors? See question #3 for a listing of the factors.

9. **Role of Supplier** Did the builder switch suppliers or use multiple suppliers to complete the total project i.e. does the builder get his trim from the same source as his other building

materials. If not, would the builder like to obtain his trim from the same supplier as his basic materials.

Builder Sizes	Homes Completed per Year
Small	1 - 19 Units
Medium	20 - 99 Units
Large	100 - 300 Units
Mega	300+ Units

10. By builder size, small, medium and large:

Brand/Manufacturer - Brand Specific Data

Once the decision has been made to use a particular type of trim other than primed wood trim, what is the process to decide upon a particular manufacturer or brand of trim ie fiber cement, hardboard, PVC or engineered wood trim. The same series of questions outlined for the type decision can be repeated for the manufacturer/brand decision. These questions would include the following among others:

- How long have they been using a particular manufacturer/brand?
- Has the usage been continuous or have they switched brands?
- What are the strengths and weaknesses of each brand they are familiar with?
 - -- Product related attributes
 - -- Sales & Marketing, technical service, distribution, customer service attributes
- Do they use multiple manufacturer/brands?
- Where do they buy the particular manufacturer/brands? Does it differ from where they buy their typical supplies?
- What are the un-met needs of the manufacturer/ brand? What would they like to change?
- What factors would cause them to try a new manufacturer/ brand they haven't used before?

Research Methods

Methodology & Scope

The usage of trim differs by geographic region and will include 4 U.S. regions. It will also address different builder sizes; small, medium and large. Using small sample size theory, we employ a minimum sample size per cell of 30 completed interviews. Therefore the minimum sample size for this research should be 4 regions at 30 interviews per region times 4 size categories for a total of 480 interviews. Depending on the number of subscribers, the number of regions could be expanded, enhancing the value of the research.

All interviewing will be conducted by telephone using a structured telephone questionnaire. The questionnaire will encompass the information objectives from this proposal and will be submitted to subscribers for approval in the start-up package prior to commencing any fieldwork.

Sample

One of the keys to this research will be finding those builders who are already using one or more the three types of trim included; fiber cement, engineered wood, branded primed wood, PVC, poly-ash or polyurethane. However, with the adoption of non-wood trims, this task is being made easier.

Pagion	Homes Completed per Year				Total
Region	Small 1 - 19	Medium 20-99	Large 100-300	Mega 300+	Interviews
Interviews	120	120	120	120	480
Northeast	30	30	30	30	120
South	30	30	30	30	120
Mid-Central	30	30	30	30	120
West	30	30	30	30	120

Research	Sample Specifics From our quality list broker, we will pull a random sample of builders by size and region to ensure we have a representative mix of builders without adding any bias in to the sample. To complete 480 interviews we will pull a sample of 4,800+ builders who use one or more types of non-wood trim. Keep in mind that most builders also complete remodeling work, thus providing a remodeling component.
Components	We envision the study to proceed as follows:
of the Study	1. Start Up Package A start up package will be sent to subscribers. Their input will fine tune the objectives of the study and finalize any additional builder/remodeler firms to include in the research.
	2. Project Planning This stage will entail several activities prior to commencing the actual interviewing, such as designing and testing interview forms and developing respondent lists.
	3. Telephone Interviewing Telephone interviews will be conducted with builder. The study team will be those professionals with prior training and experience in obtaining information in the building products industry.
	4. Analysis This stage entails analyzing the information gathered as well as tabulating and charting the facts and statistics obtained and planning the final report.
	5. Report All pertinent facts and information will be presented in chart and table format that will be tied back to the issues and goals of the study. The lead chapter will give a summary of findings and conclusions.
	6. Optional Presentation As desired, individual subscribers can schedule a final presentation at their specific locations to review the results of the research. There is no additional fee, however, out-of-pocket travel costs are expected to be reimbursed.

Capabilities & Qualifications

Ciprus Limited, LLC is a recognized leader in providing marketing research and consulting assistance to the Building Products and Interior Furnishings and Finishes Industries. Over the past 25+ years, clients have ranged from leading producers of building materials, contract furnishings, interior building and design products, as well as decorative surface and raw materials producers. In addition, the firm has extensive experience with exterior building products including trim, siding, cladding, shutters, architectural millwork, doors, windows and other products.

This proposed 4th update of this research provides Ciprus Limited a unique perspective on the exterior trim market. In addition, our past experience in successfully completing numerous multi-sponsored research studies will also be of benefit to this undertaking. Past studies have been conducted in Exterior Residential Cladding, Light Gage Steel Construction, Commercial Flooring, Commercial Flooring Maintenance, Commercial and Residential Upholstery Fabrics, Solid Surface Materials, Interior Building Products in Healthcare and others.

Partial Client Listing - Siding, Building & Related Products				
3M	Chelsea Building Products Mastic			
Alcoa Home Exteriors	Dow Chemical	Milliken		
Armstrong World Industries	DuPont	Mitsui Plastics		
Ashland Chemical	Formica	NEMA		
Asphalt Roofing Mfr. Assn.	Graham Partners	Owens Corning		
Azek	Hilti North America	Plygem		
BAIN & Company	Irwin	Price Pfister		
Belco Forest Products	James Hardie	Saint Gobain		
BASF	Jeld-Wen	Stanley Black & Decker		
Black & Decker	Kohler Company	Triangle Pacific		
Boral America	Kwikset	Vinyl Siding Institute		
Robert Bosch Tool Corp	Lenox	Versatex		
Cellwood	Louisiana Pacific	Weyerhaeuser		
CertainTeed	Mannington	Wilsonart		

The Principals of Ciprus Limited, LLC are dedicated to providing **Report Format** the highest quality of in-depth market research and consultative information enabling our clients to make informed business decisions. Due to the complexity and size of this research project, a significant amount of planning has gone into organizing the report format. Subscribers will find that the statistical charts and graphs will interrelate by chapter heading and will be cross-referenced for easy access. In addition, we will also include relevant market size and share data from the firm's other The significant findings of each individual chapter will be brought together in an executive summary section. Trim usage by builder size, region, brands and cladding types will be presented in matrix format and organized in separate chapters for easy reference. The PDF report will be delivered by download and will contain Price, over 930+ pages of text, charts, tables and other visual information. Terms & Delivery This study is being offered to charter subscribers for \$18,000. The project will begin on November 1, 2018 and the reports will be issued during the second quarter of 2019 (to overlap 2 budget years). Completion timing is dependent upon the timely input from subscribers and upon receiving an adequate number of sponsors to initiate the research. Charter subscribers will have the ability to add topics or modify the research approach at no extra cost where it is believed beneficial to all parties. **Terms** One-half the total fee (\$9,000) must be made prior to November 1, and the balance upon receipt of the final report. The total price of \$18,000 includes consultation after the final report is delivered for discussion and review of the findings.

price will rise to \$22,000.

When the finished reports are issued, the post subscription

10

Subscription Agreement

This Agreement is between Ciprus Limited LLC, 121 Saybrook Road, Suite 301, Essex, CT 06426 and ._____

______ agrees to subscribe to this multi-client study titled The 2019 Builder Decision Analysis for Exterior Residential Trim - 4th Edition as outlined in the Prospectus. ______ agrees to maintain the report as company confidential for a period of five years from the signature date herein and will take every precaution to prevent the disclosure of information in the report to any third party.

Ciprus Limited, LLC will not provide the information contained in this report, in whole or in part, to any party that is not a subscriber to the research except for a very limited use for marketing purposes. Ciprus Limited LLC will provide an electronic copy of the report (PDF) along with copies of EXCEL tables and charts and will also provide telephone consultation of the results to ______ upon completion of the research and report.

agrees to subscribe to this research report for US\$ 18,000 with payments as follows - \$9,000 upon signing this agreement and the balance of \$9,000 due upon completion of the research and delivery of the final report. Once signed, this document shall constitute a legal binding agreement between the parties.

Agreed and Accepted

Ciprus Limited, LLC	
Signature	Signature
Name	Name
Title	Title
Date	Date