



NOTES:

- 1) MAX. 100' CLEANOUT TO CLEANOUT
- 2) SERVICE TO TERMINATE AT P.L. OR R.O.W. (UNLESS OTHERWISE NOTED) WITH FERNCO COUPLING (D.I. TO C.I.) WITH PVC PLUG AND MARKED WITH 2'x4' WITNESS POST LABELED "SEWER"
- 3) CONTRACTOR TO LOCATE ALL SERVICES AND PROVIDE ENGINEER WITH AS-BUILT LOCATIONS
- 4) CONNECTIONS TO MH'S SHALL BE NO HIGHER THAN 2' ABOVE THE LOWEST INVERT
- 5) NO WORK TO BE PERFORMED WITHOUT WINHALL STRATTON FIRE DISTRICT PERSONNEL PRESENT.

TYPICAL SEWER SERVICE CONNECTION

NOT TO SCALE

NOTE:

THIS DRAWING IS A REPRESENTATIVE EXAMPLE OF AN ACCEPTABLE INSTALLATION AND IS NOT MEANT TO SUPERCEDE VERMONT REGULATIONS. CONSTRUCTION SHALL BE IN ACCORDANCE WITH CURRENT STATE REGULATIONS.

TECHNICON

P.O. Box 437 Ludlow, Vermont 05149

WINHALL-STRATTON FIRE DISTRICT No. 1



SERVING THE STRATTON

MOUNTAIN COMMUNITY

STANDARDS FOR NEW CONSTRUCTION

SEWER SERVICE CONNECTION DETAIL

NOT TO SCALE

Date: 12/17/07

Drawing No.: 6